West Virginia Department of Environmental Protection Division of Air Quality

Earl Ray Tomblin Governor Randy C. Huffman Cabinet Secretary

Class II General Permit G35-C Registration to (Construct, Modify, etc.)



for the

Prevention and Control of Air Pollution in regard to the Construction, Modification, Relocation, Administrative Update and Operation of Oil and Natural Gas Compressor and/or Dehydration Facilities

The permittee identified at the facility listed below is authorized to construct the stationary sources of air pollutants identified herein in accordance with all terms and conditions of General Permit G35-C.

G35-C (Registration Number)

Issued to:

[Company Name] [Facility Name] [Company ID #]

William F. Davilson

William F. Durham Director

Issued: [Date of Issuance]

This Class II General Permit Registration will supercede and replace (Permit registration number, include any applicable permits, consent orders, etc. These may include R13 permits or versions of the G30 or G35 General Permits)

Facility Location: (City), (County Name) County, West Virginia

Mailing Address: (Facility Mailing Address)

Physical Address: (Facility Physical Address, if none available, list road, city or town and zip of facility)

Facility Description: (Facility description (Production, Compressor, Dehydration))

NAICS Code: (NAICS code) SIC Code: (SIC code)

Longitude Coordinates: (NAD83, Decimal degrees to 5 digits)
Latitude Coordinates: (NAD83, Decimal degrees to 5 digits)

Directions to Facility: (Directions to the facility from nearest state road)
Registration Type: (Administrative update, construction, modification)

Description of Change: (Description of change)

Any person whose interest may be affected, including, but not necessarily limited to, the applicant and any person
who participated in the public comment process, by a permit or registration issued, modified or denied by the
Secretary may appeal such action of the Secretary to the Air Quality Board pursuant to article one [§§ 22B-1-1 et
seq.], Chapter 22B of the Code of West Virginia. West Virginia Code §22-5-14.

The source is not subject to 45CSR30.

Permit Section Applicability for the Registrant

All registered facilities under General Permit G35-C are subject to Sections 1.0, 2.0, 3.0, and 4.0 of General Permit G35-C.

The following additional sections of General Permit G35-C apply to the registrant:

G	GENERAL PERMIT G35-C APPLICABLE SECTIONS							
Section 5.0	Storage Vessels Containing Condensate and/or Produced Water ¹							
Section 6.0	Storage Vessel Affected Facility (NSPS, Subpart OOOO)							
Section 7.0	Control Devices and Emission Reduction Devices not subject to NSPS Subpart OOOO and/or NESHAP Subpart HH							
Section 8.0	Small Heaters and Reboilers not subject to 40CFR60 Subpart Dc							
Section 9.0	Pneumatic Controllers Affected Facility (NSPS, Subpart OOOO)							
Section 10.0	Centrifugal Compressor Affected Facility (NSPS, Subpart OOOO) ²							
Section 11.0	Reciprocating Compressor Affected Facility (NSPS, Subpart OOOO) ²							
Section 12.0	Reciprocating Internal Combustion Engines, Generator Engines. Microturbine Generators							
Section 13.0	Tanker Truck Loading ³							
Section 14.0	Glycol Dehydration Units ⁴							

- 1 Registrants that are subject to Section 5 may also be subject to Section 6 if the applicant is subject to the NSPS, Subpart OOOO control requirements or the applicable control device requirements of Section 7.
- 2 Registrants that are subject to Section 10 and 11 are also subject to the applicable RICE requirements of Section 12.
- Registrants that are subject to Section 13 may also be subject to control device and emission reduction device requirements of Section 7.
- 4 Registrants that are subject to Section 14 are also subject to the requirements of Section 8 (reboilers).

 Registrants that are subject to Section 14 may also be subject to control device and emission reduction device requirements of Section 7.

	STORAGE VESSELS										
Emission Unit ID#	Emission Point ID#	Content	Maximum Volume (gal)	Annual Throughput Limit (gal/yr)	Control Device ID#	Manuf. Date	Year Installed/ Modified	VRU	Subject to 40CFR60 Subpart OOOO? ¹	G35-C Applicable Sections	
		Condensate							☐ Yes ☐ No		
		Produced Water							☐ Yes ☐ No		
		TEG							☐ Yes ☐ No		
		Lube Oil							☐ Yes ☐ No		
									☐ Yes ☐ No		
									☐ Yes ☐ No		
									☐ Yes ☐ No		

¹ Commenced construction, modification or reconstruction after August 23, 2011.

	FUEL BURNING UNITS									
	See Section 8.0									
Emission Unit ID#	Emission Point ID#	Description	MDHI (MMBTU/hr)	Year Installed/ Modified	G35-C Applicable Sections					
		Heater Treater								
		Gas Processing Units								
		In line Heaters								
		Reboilers								

PNEUMATIC CONTROLLERS
Are there any applicable pneumatic controllers subject to 40CFR60 Subpart OOOO at this facility?
☐ Yes ☐ No
Approximate Number of Applicable Pneumatic Controllers
See Section 9.0

CENTRIFUGAL COMPRESSORS
Are there any applicable centrifugal compressors subject to 40CFR60 Subpart OOOO at this facility?
☐ Yes ☐ No
See Section 10.0
Description
DECIDEOCATING COMPRESSORS
RECIPROCATING COMPRESSORS
Are there any applicable reciprocating compressors subject to 40CFR60 Subpart OOOO at this facility?
☐ Yes ☐ No
See Section 11.0
Description

	RECIPROCATING INTERNAL COMBUSTION ENGINES								
	See Section 12.0								
Emission Unit ID#	Emission Point ID#	Make/Model/HP	Control Device ID#	Year Installed/ Modified	Engine Manufacture Date	Subject to 13.1.4/ 13.2.1	Engine Type	Applicable Rules	40CFR63 Subpart ZZZZ New or Existing?
						☐ Yes	☐ 2SLB ☐ 4SLB ☐ 4SRB	☐ 40CFR60 Subpart JJJJ ☐ Certified? ☐ 40CFR60 Subpart IIII ☐ Certified? ☐ 40CFR63 Subpart ZZZZ ☐ NESHAP ZZZZ/ NSPS JJJJ Window	☐ New ☐ Existing
						☐ Yes	☐ 2SLB ☐ 4SLB ☐ 4SRB	☐ 40CFR60 Subpart JJJJ ☐ Certified? ☐ 40CFR60 Subpart IIII ☐ Certified? ☐ 40CFR63 Subpart ZZZZ ☐ NESHAP ZZZZ/ NSPS JJJJ Window	☐ New ☐ Existing
						☐ Yes	☐ 2SLB ☐ 4SLB ☐ 4SRB	☐ 40CFR60 Subpart JJJJ ☐ Certified? ☐ 40CFR60 Subpart IIII ☐ Certified? ☐ 40CFR63 Subpart ZZZZ ☐ NESHAP ZZZZ/ NSPS JJJJ Window	☐ New ☐ Existing
						☐ Yes	☐ 2SLB ☐ 4SLB ☐ 4SRB	☐ 40CFR60 Subpart JJJJ ☐ Certified? ☐ 40CFR60 Subpart IIII ☐ Certified? ☐ 40CFR63 Subpart ZZZZ ☐ NESHAP ZZZZ/ NSPS JJJJ Window	☐ New ☐ Existing
						☐ Yes	☐ 2SLB ☐ 4SLB ☐ 4SRB	☐ 40CFR60 Subpart JJJJ ☐ Certified? ☐ 40CFR60 Subpart IIII ☐ Certified? ☐ 40CFR63 Subpart ZZZZ ☐ NESHAP ZZZZ/ NSPS JJJJ Window	☐ New ☐ Existing

 $New\ or\ reconstructed\ sources\ in\ accordance\ with\ 63.76590(c)\ must\ only\ meet\ the\ requirements\ of\ 40CFR60\ Subparts\ IIII\ or\ JJJJ.$

	SPARK IGNITION RECIPROCATING INTERNAL COMBUSTION ENGINES TESTING REQUIREMENTS										
	See Section 12.0										
Emission Unit ID#	Emission Point ID#	Make/Model/HP	Control Device ID#	Year Installed/ Modified	Engine Manufacture Date	40CFR60 Subpart JJJJ Testing Requirements					
						☐ Initial Performance Test ☐ Every 8,760 hours of operation or 3 years (whichever comes first)					
						☐ Initial Performance Test ☐ Every 8,760 hours of operation or 3 years (whichever comes first)					
						☐ Initial Performance Test ☐ Every 8,760 hours of operation or 3 years (whichever comes first)					
						☐ Initial Performance Test ☐ Every 8,760 hours of operation or 3 years (whichever comes first)					
						☐ Initial Performance Test ☐ Every 8,760 hours of operation or 3 years (whichever comes first)					
						☐ Initial Performance Test ☐ Every 8,760 hours of operation or 3 years (whichever comes first)					
						☐ Initial Performance Test ☐ Every 8,760 hours of operation or 3 years (whichever comes first)					
						☐ Initial Performance Test ☐ Every 8,760 hours of operation or 3 years (whichever comes first)					
						☐ Initial Performance Test ☐ Every 8,760 hours of operation or 3 years (whichever comes first)					
						☐ Initial Performance Test ☐ Every 8,760 hours of operation or 3 years (whichever comes first)					

TANKER TRUCK LOADOUT								
	Are there any tanker truck loadout operations at this facility? Yes No See Section 13.0							
Emission Unit ID#	Emission Point ID#	Description	Annual Throughput Limit (gal/yr)	Year Installed/ Modified	Control Device ID#	Closed System Collection?		
						☐ Tanker trucks passing the MACT level annual leak test ☐ Tanker trucks passing the NSPS level annual leak test ☐ Tanker trucks not passing one of the above annual leak tests but has vapor return		

		GLYC	OL DEHYDR	ATION UNITS			
		Are there ar		on units at this facility? □ No			
Emission Unit ID#	Emission Point ID#	Description (Make, Model)	Year Installed/ Modified	Subject to 40CFR63 Subpart HH? ¹	40CFR63 Subpart HH Exemptions	Max Dry Gas Flow Rate (mmscf/day)	APCD/ERD ID#
				☐ Yes ☐ Pump Optimization ☐ No	☐ Benzene Exemption ☐ Flowrate Exemption		
				☐ Yes ☐ Pump Optimization ☐ No	☐ Benzene Exemption ☐ Flowrate Exemption		
				☐ Yes ☐ Pump Optimization ☐ No	☐ Benzene Exemption ☐ Flowrate Exemption		
				☐ Yes ☐ Pump Optimization ☐ No	☐ Benzene Exemption ☐ Flowrate Exemption		

Please list any exemptions (< 1tpy of benzene, 3 mmscf/day throughput) and whether or not dehy is located in UA/UC for each unit.

¹ If Yes, specify if registrant meets benzene or flowrate exemption.

	AIR	POLLUTION	CONTRO	L DE	EVICES		
	Are t	here any air pollution	control device	s at th	is facility?		
		☐ Ye	es 🗌 No				
		See Sec	tions 6.0, 7.0				
Control Device ID#	Control Efficiency (%)	Control Device Desc (Make/Model	eription Ye	ear alled/ lified	Max Design Capacity (state units)	Subj	ect to:
						☐ Section 7 ☐ Section 8	
						☐ Section 7 ☐ Section 8	
						☐ Section 7 ☐ Section 8	
						☐ Section 7 ☐ Section 8	
						☐ Section 7 ☐ Section 8	
						Section 7	
						Section 7	
Notes to permit engin font notes prior to issu		omize for specific re	gistration and	add/d	elete lines as n	ecessary; (2)	remove red
	EMIS	SSION REDUC	TION DEV	VICE	ES (ERD)		
Are t	here any ERD	s (VRU, Recycled Reb	ooiler, BTEX E	limina	tor, etc.) at this	facility?	
		☐ Ye	es No				
		See Sec	tions 6.0, 7.0			***	14 D :
ERD ID	#	ERD Efficiency (%)	ERD Descri	ption (Make/Model)	Year Installed/ Modified	Max Design Capacity (state units)

	EMISSION LIMITATIONS									
Emission	Emission	Emission Unit	Pollutant	Maximum Po	tential Emissions					
Unit ID#	Point ID#	Description		Hourly (lb/hr)	Annual (tons/year)					
			Nitrogen Oxides							
			Carbon Monoxide							
			Volatile Organic Compounds							
			Formaldehyde							
		Glycol Dehy Still Vent/ Control Device Data	Volatile Organic Compounds							
			Benzene							
			Toluene							
			Ethylbenzene							
			Xylenes							
		Storage Vessels / Control	Volatile Organic Compounds							
		Device Data	Total HAPs							
		Tanker Truck Loading /	Volatile Organic Compounds							
		Control Device Data	Total HAPs							
		Control Device Emission								
		Data (Flares, pilots, etc.)								

Note to permit engineer: (1) customize for specific registration and add/delete lines as necessary; (2) emission limits are required for condensate storage tank(s); (3) remove red font notes prior to issuance.